


Amendments to the Claims

This claim listing will replace all prior versions of claims and claim listings in the application:

WHAT IS CLAIMED IS:

1. (Currently amended) A compound structurally represented by Formula I



(I)

or a pharmaceutically acceptable salt thereof wherein:


Q, T, X, and D independently represent carbon or nitrogen, provided that no more than two of Q, T, X, and D are nitrogen;

R1, R2, and R3 are independently at each occurrence

-H, -halogen, -(C<sub>1</sub>-C<sub>7</sub>) alkyl, -CN, -C(O)R<sub>7</sub>, -C(O)(C<sub>3</sub>-C<sub>5</sub>)cycloalkyl, -C(O)NR<sub>7</sub>R<sub>8</sub>, -OCF<sub>3</sub>, -OR<sub>7</sub>, -NO<sub>2</sub>, -NR<sub>7</sub>R<sub>8</sub>, -NR<sub>9</sub>SO<sub>2</sub> R<sub>7</sub>, -NR<sub>9</sub>C(O)R<sub>7</sub>, -NR<sub>9</sub>CO<sub>2</sub>R<sub>7</sub>, -NR<sub>9</sub>C(O)NR<sub>7</sub>R<sub>8</sub>, -SR<sub>7</sub>, -SO<sub>2</sub>R<sub>7</sub>, -SO<sub>2</sub>CF<sub>3</sub>, -SO<sub>2</sub> NR<sub>7</sub>R<sub>8</sub>, -S(O)R<sub>7</sub>, -O(CH<sub>2</sub>)<sub>m</sub>NR<sub>7</sub>R<sub>8</sub>, -heteroaryl-R<sub>9</sub>, -phenyl-R<sub>9</sub>,

provided however that wherein D is nitrogen, then R1 or R2 or R3 are not attached to D, and provided that wherein X is nitrogen, then R1 or R2 or R3 are not attached to X, and provided that wherein T is nitrogen, then R1 or R2 or R3 are not attached to T, and provided that wherein Q is nitrogen, then R1 or R2 or R3 are not attached to Q;

and further provided that when D and X are carbon, then R1 and R2 can



combine to form a 5 or 6 membered ring with D and X, wherein the ring so formed may optionally include one double bond in the case of a five membered ring or two double bonds in the case of a six

membered ring, and wherein one to three ring atoms may optionally be heteroatoms independently selected from N, O, or S;

wherein *m* is 1, 2, 3 or 4;

R4 and R5 are independently at each occurrence

5           -H, -OH, -halogen, -CF<sub>2</sub>H, -CF<sub>3</sub>, -(C<sub>1</sub>-C<sub>3</sub>)alkyl, -O-(C<sub>1</sub>-C<sub>3</sub>) alkyl;

R6 is independently at each occurrence

-H, -halogen, -CF<sub>3</sub>, -(C<sub>1</sub>-C<sub>3</sub>) alkyl, -NH<sub>2</sub>, -NR<sub>7</sub>R<sub>8</sub>, -OH, -OR<sub>7</sub>;


R7 and R8 are independently at each occurrence -H, -(C<sub>1</sub>-C<sub>6</sub>) alkyl,

Wherein R7 and R8 can combine with the atom to which they are attached  
10           to form a 3 to 7 membered ring;

R9 is independently at each occurrence -H, -(C<sub>1</sub>-C<sub>3</sub>) alkyl;

provided that the compound is other than [4-(6-amino-5-hydroxy-pyridin-3-yl)-phenyl]-(2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone.

15       2.       (Currently amended) A compound structurally represented by Formula II



(II)

or a pharmaceutically acceptable salt thereof wherein:

20           Q', T', X', and D' independently represent carbon or nitrogen, provided  
that no more than two of Q', T', X', and D' are nitrogen;





R1' is







-halogen, -(C<sub>1</sub>-C<sub>7</sub>) alkyl, -CN, -C(O)R<sub>7</sub>', -C(O)(C<sub>3</sub>-C<sub>5</sub>)cycloalkyl,  
-C(O)NR<sub>7</sub>'R<sub>8</sub>', -OCF<sub>3</sub>, -OR<sub>7</sub>', -NO<sub>2</sub>, -NR<sub>7</sub>'R<sub>8</sub>', -NR<sub>9</sub>'SO<sub>2</sub> R<sub>7</sub>',  
-NR<sub>9</sub>'C(O)R<sub>7</sub>', -NR<sub>9</sub>'CO<sub>2</sub>R<sub>7</sub>', -NR<sub>9</sub>'C(O)NR<sub>7</sub>'R<sub>8</sub>', -SR<sub>7</sub>', -SO<sub>2</sub>R<sub>7</sub>',  
25           -SO<sub>2</sub>CF<sub>3</sub>, -SO<sub>2</sub> NR<sub>7</sub>'R<sub>8</sub>', -S(O)R<sub>7</sub>', -O(CH<sub>2</sub>)<sub>m</sub>NR<sub>7</sub>'R<sub>8</sub>', -heteroaryl-R<sub>9</sub>,







R2' and R3' are independently at each occurrence







- H, -halogen, -(C<sub>1</sub>-C<sub>7</sub>) alkyl, -CN, -C(O)R<sub>7</sub>', -C(O)(C<sub>3</sub>-C<sub>5</sub>)cycloalkyl, -C(O)NR<sub>7</sub>'R<sub>8</sub>', -OCF<sub>3</sub>, -OR<sub>7</sub>', -NO<sub>2</sub>, -NR<sub>7</sub>'R<sub>8</sub>', -NR<sub>9</sub>'SO<sub>2</sub> R<sub>7</sub>', -NR<sub>9</sub>'C(O)R<sub>7</sub>', -NR<sub>9</sub>'CO<sub>2</sub>R<sub>7</sub>', -NR<sub>9</sub>'C(O)NR<sub>7</sub>'R<sub>8</sub>', -SR<sub>7</sub>', -SO<sub>2</sub>R<sub>7</sub>', -SO<sub>2</sub>CF<sub>3</sub>, -SO<sub>2</sub>NR<sub>7</sub>'R<sub>8</sub>', -S(O)R<sub>7</sub>', -O(CH<sub>2</sub>)<sub>m</sub>NR<sub>7</sub>'R<sub>8</sub>', - heteroaryl-R<sub>9</sub>',  
 5 provided however that wherein D' is nitrogen, then R<sub>1</sub>' or R<sub>2</sub>' or R<sub>3</sub>' are not attached to D', and provided that wherein X' is nitrogen, then R<sub>1</sub>' or R<sub>2</sub>' or R<sub>3</sub>' are not attached to X', and provided that wherein T' is nitrogen, then R<sub>1</sub>' or R<sub>2</sub>' or R<sub>3</sub>' are not attached to T', and provided that wherein Q' is nitrogen, then R<sub>1</sub>' or R<sub>2</sub>' or R<sub>3</sub>' are not attached to Q';  
 10 wherein m is 1, 2, 3 or 4;  
 R<sub>4</sub>' and R<sub>5</sub>' are independently at each occurrence  
 -H, -OH, -halogen, -CF<sub>2</sub>H, -CF<sub>3</sub>, -(C<sub>1</sub>-C<sub>3</sub>)alkyl, -OR<sub>9</sub>', provided that when R<sub>4</sub>' is -H, then R<sub>5</sub>' is not -H,  
 R<sub>6</sub>' is independently at each occurrence  
 15 -H, -halogen, -CF<sub>3</sub>, -CH<sub>3</sub>, -(C<sub>1</sub>-C<sub>3</sub>) alkyl, -NH<sub>2</sub>, -NR<sub>7</sub>'R<sub>8</sub>', -OH, -OR<sub>7</sub>';  
 R<sub>7</sub>' and R<sub>8</sub>' are independently at each occurrence;  
 -H, -(C<sub>1</sub>-C<sub>6</sub>) alkyl optionally substituted with up to three halogens,  
 wherein R<sub>7</sub>' and R<sub>8</sub>' can combine with the atom to which they are attached to form a 3 to 7 membered ring;  
 20 R<sub>9</sub>' is independently at each occurrence -H, -(C<sub>1</sub>-C<sub>3</sub>) alkyl;  
provided that the compound is other than [4-(6-amino-5-hydroxy-pyridin-3-yl)-phenyl]-(2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone.
3. (Original) The compound of claim 1, wherein D, X, Q and T are carbon.
  - 25 4. (Original) The compound of claim 1, wherein one of D, X, Q or T is nitrogen.
  5. (Original) The compound of claim 1 wherein two of D, X, Q or T are nitrogen.
  6. (Original) The compound of claim 1 wherein X is carbon and R<sub>1</sub> is attached to X.
  7. (Currently amended) The compound of claim 6 wherein ~~X is carbon and R<sub>1</sub> is attached to X, and~~ R<sub>4</sub> is halogen.
  - 30 8. (Original) The compound of claim 7 wherein one independent occurrence of R<sub>6</sub> is -CH<sub>3</sub> and the second independent occurrence of R<sub>6</sub> is H.
  9. (Original) The compound of claim 2 wherein X' is carbon and R<sub>1</sub>' is attached to X'.







10. (Currently amended) The compound of claim 9 wherein ~~X' is carbon and R1' is attached to X',~~ and R4' is halogen.
11. (Original) The compound of claim 10 wherein one independent occurrence of R6' is -CH<sub>3</sub> and the second independent occurrence of R6' is H.
- 5 12. (Currently amended) The compound of claim 1 selected from the group consisting of formulae X1 to X115:

Formula	Structure
X1	
X2	
X3	
X4	






X5	
X6	
X7	
X8	
X9	
X10	






X11	
X12	
X13	
X14	
X15	
X16	







X17	
X18	
X19	
X20	
X21	
X22	








X23	 <chem>NS(=O)(=O)c1ccc(cc1)-c2ccc(cc2)C(=O)N3CCCC3CN4CCCC4</chem>
X24	 <chem>CC(C)(C)N(S(=O)(=O)c1ccc(cc1)-c2ccc(cc2)C(=O)N3CCCC3CN4CCCC4)S(=O)(=O)C</chem>
X25	 <chem>CN(C)S(=O)(=O)c1ccc(cc1)-c2ccc(cc2)C(=O)N3CCCC3CN4CCCC4</chem>
X26	 <chem>CC(=O)c1ccncc1-c2ccc(cc2)C(=O)N3CCCC3CN4CCCC4</chem>
X27	 <chem>CC(=O)Nc1ccc(cc1)-c2ccc(cc2)C(=O)N3CCCC3CN4CCCC4</chem>
X28	 <chem>CN(C)C(=O)c1ccc(cc1)-c2ccc(cc2)C(=O)N3CCCC3CN4CCCC4</chem>















X29	 <chem>CS(=O)(=O)c1ccc(cc1)-c2ccc(cc2)C(=O)N3CCCC3CN4CCCC4</chem>
X30	 <chem>C1CCN(C1)C(=O)c2ccc(cc2)-c3ccc(cc3)C(=O)N4CCCC4CN5CCCC5</chem>
X31	 <chem>CS(=O)(=O)c1ccc(cc1)-c2cc(F)cc(c2)C(=O)N3CCCC3CN4CCCC4</chem>
X32	 <chem>CS(=O)(=O)Nc1ccc(cc1)-c2ccc(cc2)C(=O)N3CCCC3CN4CCCC4</chem>
X33	 <chem>CS(=O)(=O)Nc1cccc(c1)-c2ccc(cc2)C(=O)N3CCCC3CN4CCCC4</chem>






X34	 <chem>CS(=O)(=O)c1ccc(cc1)-c2ccc(cc2)C(=O)N3CCCC3CN3</chem>
X35	 <chem>CCS(=O)(=O)c1ccncc1-c2ccc(cc2)C(=O)N3CCCC3CN3</chem>
X36	 <chem>CCS(=O)(=O)c1ccncc1-c2ccc(cc2F)C(=O)N3CCCC3CN3</chem>
X37	 <chem>CS(=O)(=O)Nc1ccncc1-c2ccc(cc2)C(=O)N3CCCC3CN3</chem>
X38	 <chem>FS(=O)(=O)c1ccc(cc1)-c2ccc(cc2)C(=O)N3CCCC3CN3</chem>






X39	 <chem>CS(=O)(=O)Nc1ccc(cc1F)-c2ccc(cc2)C(=O)N3CCCC3CN4CCCC4</chem>
X40	 <chem>CCS(=O)(=O)c1ccc(cc1)-c2ccc(cc2)C(=O)N3CCCC3CN4CCCC4</chem>
X41	 <chem>[O-][N+](=O)c1ccc(cc1)-c2ccc(cc2)C(=O)N3CCCC3CN4CCCC4</chem>
X42	 <chem>N#Cc1ccc(cc1)-c2ccc(cc2)C(=O)N3CCCC3CN4CCCC4</chem>
X43	 <chem>COc1ccc(cc1)-c2ccc(cc2)C(=O)N3CCCC3CN4CCCC4</chem>
X44	 <chem>Brc1ccc(cc1)-c2ccc(cc2)C(=O)N3CCCC3CN4CCCC4</chem>

X45	 <chem>O=[N+]([O-])c1ccccc1-c2ccc(cc2)C(=O)N3CCCC3CN4CCCC4</chem>
X46	 <chem>CCc1ccc(cc1)-c2ccc(cc2)C(=O)N3CCCC3CN4CCCC4</chem>
X47	 <chem>c1ccccc1-c2ccc(cc2)C(=O)N3CCCC3CN4CCCC4</chem>
X48	 <chem>CCCc1ccc(cc1)-c2ccc(cc2)C(=O)N3CCCC3CN4CCCC4</chem>
X49	 <chem>C1CCNCC1Oc2ccc(cc2)-c3ccc(cc3)C(=O)N4CCCC4CN5CCCC5</chem>
X50	 <chem>CC(C)(C)c1ccc(cc1)-c2ccc(cc2)C(=O)N3CCCC3CN4CCCC4</chem>
X51	 <chem>CCCCCc1ccc(cc1)-c2ccc(cc2)C(=O)N3CCCC3CN4CCCC4</chem>







X52	
X53	
X54	
X55	
X56	
X57	






X58	 <chem>C1CCN(C1)CC(=O)c2ccc(cc2)-c3ccc4c(c3)OCO4</chem>
X59	 <chem>C1CCN(C1)CC(=O)c2ccc(cc2)-c3ccncc3</chem>
X60	 <chem>C1CCN(C1)CC(=O)c2ccc(cc2)-c3ccc(cc3)C(F)(F)F</chem>
X61	 <chem>C1CCN(C1)CC(=O)c2ccc(cc2)-c3ccncc3</chem>
X62	 <chem>C1CCN(C1)CC(=O)c2cc(ccc2C(F)(F)F)S(=O)(=O)c3ccc(cc3)</chem>
X63	 <chem>C1CCN(C1)CC(=O)c2ccc(cc2)-c3ccncc3</chem>






X64	 <chem>CN1CCCC1CC(=O)c2cc(F)c(cc2F)c3ccc(cc3)S(=O)(=O)C</chem>
X65	 <chem>CN1CCCC1CC(=O)c2cc(F)c(cc2F)c3ccc(cc3)nc4ccncc4</chem>
X66	 <chem>CN1CCCC1CC(=O)c2cc(F)c(cc2F)c3ccc(cc3)n4nc(OC)nc4</chem>
X67	 <chem>CN1CCCC1CC(=O)c2cc(F)c(cc2)cc3ccc(cc3)NS(=O)(=O)C</chem>
X68	 <chem>CN1CCCC1CC(=O)c2cc(F)c(cc2)cc3ccc(cc3)S(=O)(=O)N(C)C</chem>






X69	
X70	
X71	
X72	
X73	













X74	 <chem>COc1ccc(cc1)C(=O)N2CCCC2c3ccc(cc3F)Oc4ccc(cc4)C(F)(F)F</chem>
X75	 <chem>COc1cc(OC)ccc1C(=O)N2CCCC2c3ccc(cc3F)Cc4ccc(cc4)OC</chem>
X76	 <chem>COc1ccc(cc1)C(=O)N2CCCC2c3ccc(cc3F)Cc4ccc(cc4)OC</chem>
X77	 <chem>COc1cc(OC)ccc1C(=O)N2CCCC2c3ccc(cc3F)Cc4ccc(cc4)OC</chem>
X78	 <chem>Fc1ccc(cc1)C(=O)N2CCCC2c3ccc(cc3F)Cc4ccc(cc4)F</chem>
X79	 <chem>C1OC2C(OC1)C=CC2c3ccc(cc3F)C(=O)N4CCCC4c5ccc(cc5)N</chem>







X80	
X81	
X82	
X83	
X84	






X85	
X86	
X87	
X88	
X89	

X90	 <chem>CC1CCN(CC1)CC(=O)c2cc(F)ccc2-c3ccc(S(=O)(=O)C)cc3</chem>
X91	 <chem>CC1CCN(CC1)CC(=O)c2cc(F)ccc2-c3ccc(S(=O)(=O)CC)cc3</chem>
X92	 <chem>CC1C(C)N(CC1)CC(=O)c2ccc(cc2-c3ccc(C(F)(F)F)cc3)CC(C)C</chem>
X93	 <chem>CC1CCN(CC1)CC(=O)c2ccc(cc2-c3ccc(C(F)(F)F)cc3)CC(C)C</chem>
X94	 <chem>CC1CCN(CC1)CC(=O)c2ccc(cc2-c3ccc(C(F)(F)F)cc3)CC(C)C</chem>

X95	 <chem>FC1CCN(CC1)CC2CCCC2C(=O)c3ccc(cc3-c4ccc(cc4)C(F)(F)F)C5=CC=CC=C5</chem>
X96	 <chem>CC1CCN(CC1)CC2CCCC2C(=O)c3ccc(cc3-c4ccc(cc4)S(=O)(=O)C)C5=CC=CC=C5</chem>
X97	 <chem>C1CCN(CC1)CC2CCCC2C(=O)c3cc(F)cc(c3-c4ccc(cc4)C(=O)C5CC5)C6=CC=CC=C6</chem>
X98	 <chem>CC1CCN(CC1)CC2CCCC2C(=O)c3cc(F)cc(c3-c4ccc(cc4)C(=O)C5CC5)C6=CC=CC=C6</chem>
X99	 <chem>CC1CCN(CC1)CC2CCCC2C(=O)c3cc(F)c(cc3-c4ccc(cc4)S(=O)(=O)C)C5=CC=CC=C5</chem>

X100	 <chem>COc1ccc(cc1)-c2ccc(cc2F)C(=O)N(CC3CCCN3C)C4CCCC4</chem>
X101	 <chem>COc1ccc(cc1)-c2ccncc2C(=O)N(CC3CCCN3C)C4CCCC4</chem>
X102	 <chem>c1ccc(cc1)-c2ccc(cc2F)C(=O)N(CC3CCCN3C)C4CCCC4</chem>
X103	 <chem>CS(=O)c1ccc(cc1)-c2ccc(cc2F)C(=O)N(CC3CCCN3C)C4CCCC4</chem>
X104	 <chem>CS(=O)(=O)c1ccc(cc1)-c2ccc(cc2F)C(=O)N(CC3CCCN3C)C4CCCC4</chem>

X105	 <chem>CC1CCCN1CC(=O)c2ccc(F)cc2-c3ccc(S(=O)(=O)O)cc3</chem>
X106	 <chem>CCS(=O)(=O)c1ccncc1-c2ccc(F)cc2-C(=O)N3CCCC3C</chem>
X107	 <chem>Cc1ccncc1CC(=O)c2cc(F)c(cc2F)-c3ccncc3</chem>
X108	 <chem>Cc1ccncc1CC(=O)c2cc(F)c(cc2F)-c3ccncn3</chem>
X109	 <chem>CS(=O)(=O)c1ccc(cc1)-c2cc(F)c(cc2F)-C(=O)N3CCCC3C</chem>
X110	 <chem>COC1=CC=CC=C1N=Cc2cc(F)c(cc2F)-C(=O)N3CCCC3C</chem>

X111	
X112	
X113	
X114	
X115	

or a pharmaceutically acceptable salt or solvate thereof.

13. (Original) The compound of claim 1, selected from the group consisting of
- 5 (2-(S)-Pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-(4'-trifluoromethyl-biphenyl-4-yl)-methanone;



- (2-(S)-Pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-(2'-trifluoromethyl-biphenyl-4-yl)-methanone;
- (4'-Chloro-biphenyl-4-yl)-(2-(S)-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone;
- 5 (2'-Chloro-biphenyl-4-yl)-(2-(S)-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone;
- [4-(6-Methyl-pyridin-2-yl)-phenyl]-(2-(S)-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone;
- [4'-(5-Methyl-[1,3,4]oxadiazol-2-yl)-biphenyl-4-yl]-(2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone;
- 10 (3-Fluoro-biphenyl-4-yl)-(2-(S)-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone trifluoroacetate;
- (3, 2'-Difluoro-biphenyl-4-yl)-(2-(S)-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone trifluoroacetate;
- 15 (2'-Fluoro-biphenyl-4-yl)-(2-(S)-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone trifluoroacetate;
- (4'-Fluoro-biphenyl-4-yl)-(2-(S)-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone trifluoroacetate;
- (2S-Pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-(3'-chloro-biphenyl-4-yl)-methanone;
- 20 (2S-Pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-(3'-trifluoromethyl-biphenyl-4-yl)-methanone;
- (4-Pyrimidin-5-yl-phenyl)- (2S-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone;
- 25 (2S-Pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-[4-(6-trifluoromethyl-pyridin-3-yl)]-methanone;
- (3-Chloro-4'-methanesulfonyl-biphenyl-4-yl)- (2S-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone;
- (4-Pyridin-3-yl-phenyl)-(2S-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone;
- 30 (4-Pyridin-2-yl-phenyl)-(2S-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone;
- 4'-(2S-Pyrrolidin-1-ylmethyl-pyrrolidine-1-carbonyl)-biphenyl-4-carbonitrile;
- (4-Pyridin-2-yl-phenyl)-(2S-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone;
- (4-Pyridin-4-yl-phenyl)-(2S-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone;

- 4'-(2S-Pyrrolidin-1-ylmethyl-pyrrolidine-1-carbonyl)-biphenyl-4-sulfonic acid dimethylamide;
- 4'-(2S-Pyrrolidin-1-ylmethyl-pyrrolidine-1-carbonyl)-biphenyl-4-sulfonic acid tert-butylamide;
- 5 4'-(2S-Pyrrolidin-1-ylmethyl-pyrrolidine-1-carbonyl)-biphenyl-4-sulfonic acid amide;
- 4'-(2S-Pyrrolidin-1-ylmethyl-pyrrolidine-1-carbonyl)-biphenyl-4-sulfonic acid tert-butyl-methyl-amide;
- 10 4'-(2S-Pyrrolidin-1-ylmethyl-pyrrolidine-1-carbonyl)-biphenyl-4-sulfonic acid methylamide;
- 1-{6-[4-(2-(S)-Pyrrolidin-1-ylmethyl-pyrrolidine-1-carbonyl)-phenyl]-pyridin-3-yl}-ethanone;
- 4'-(2-(S)-Pyrrolidin-ylmethyl-pyrrolidine-1-carbonyl)-biphenyl-4-carboxylic acid methylamide hydrochloride salt;
- 15 4'-(2-(S)-Pyrrolidin-ylmethyl-pyrrolidine-1-carbonyl)-biphenyl-4-carboxylic acid dimethylamide hydrochloride salt;
- 4'-(Methanesulfonyl-biphenyl-4-yl)-(2-(S)-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone;
- [4'-(Pyrrolidine-1-carbonyl)-biphenyl-4-yl]-(2-(S)-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone;
- 20 (3-Fluoro-4'-methanesulfonyl-biphenyl-4-yl)-(2-(S)-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone;
- N-[4'-(2-(S)-Pyrrolidin-1-ylmethyl-pyrrolidine-1-carbonyl)-biphenyl-4-yl]-methanesulfonamide;
- 25 N-[4'-(2-(S)-Pyrrolidin-1-ylmethyl-pyrrolidine-1-carbonyl)-biphenyl-3-yl]-methanesulfonamide;
- (3'-Methanesulfonyl-biphenyl-4-yl)-(2-(S)-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone;
- [4-(6-Ethanesulfonyl-pyridin-3-yl)-phenyl]-(2-(S)-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone dihydrochloride salt;
- 30 [4-(6-Ethanesulfonyl-pyridin-3-yl)-2-fluoro-phenyl]-(2-(S)-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone dihydrochloride salt;
- N-{5-[4-(2-(S)-Pyrrolidin-1-ylmethyl-pyrrolidine-1-carbonyl)-phenyl]-pyridin-2-yl}-methanesulfonamide dihydrochloride salt;

- (2-(S)-Pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-(4'-trifluoromethanesulfonyl-biphenyl-4-yl)-methanone hydrochloride salt;
- N-[3-Fluoro-4'-(2-(S)-pyrrolidin-1-ylmethyl-pyrrolidine-1-carbonyl)-biphenyl-4-yl]-methanesulfonamide;
- 5 (4'-Ethanesulfonyl-biphenyl-4-yl)-(2-(S)-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone;
- (S)-(4'-Nitro-biphenyl-4-yl)-(2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone;
- (S)-(4'-Amino-biphenyl-4-yl)-(2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone;
- 10 (S)-(4'-Methoxy-biphenyl-4-yl)-(2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone;
- (S)-(4'-Bromo-biphenyl-4-yl)-(2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone;
- 15 (S)-(2'-Nitro-biphenyl-4-yl)-(2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone;
- (S)-(4'-Ethyl-biphenyl-4-yl)-(2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone;
- (S)-Biphenyl-4-yl-(2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone;
- 20 (S)-(4'-Propyl-biphenyl-4-yl)-(2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone;
- (S)-[4'-(2-Piperidin-1-yl-ethoxy)-biphenyl-4-yl]-(2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone;
- (S)-(4'-tert-Butyl-biphenyl-4-yl)-(2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone;
- 25 (S)-(4'-Hexyl-biphenyl-4-yl)-(2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone;
- (S)-(2-Pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-[1,1'; 3',1'']terphenyl-4-yl-methanone;
- 30 3-Fluoro-4-pyridin-4-yl-phenyl)-(2S-Pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone;
- (2-Fluoro-4'-methanesulfonyl-biphenyl-4-yl)- (2S-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone;

- [4-(2-Methoxy-pyrimidin-5-yl)-phenyl]-(2-(S)-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone;
- [4-(6-Methoxy-pyridin-3-yl)-phenyl]-(2-(S)-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone;
- 5 (4-Benzo[1,3]dioxol-5-yl-phenyl)-(2-(S)-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone;
- [4-(2,3-Dihydro-benzo[1,4]dioxin-6-yl)-phenyl]-(2-(S)-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone;
- (2-Fluoro-4-pyridin-4-yl-phenyl)-(2 (S)-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone;
- 10 [2-(S)-(2-Methyl-pyrrolidin-1-ylmethyl)-pyrrolidin-1-yl]-(4'-trifluoromethyl-biphenyl-4-yl)-methanone isomer 1;
- [2-(S)-(2-Methyl-pyrrolidin-1-ylmethyl)-pyrrolidin-1-yl]-(4'-trifluoromethyl-biphenyl-4-yl)-methanone isomer 2;
- 15 (2-Fluoro-3-pyridin-4-yl-phenyl)-(2 (S)-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone;
- (4'-Methanesulfonyl-4-trifluoromethyl-biphenyl-3-yl)-(2-(S)-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone;
- (5-Pyridin-4-yl-2-trifluoromethyl-phenyl)-(2-(S)-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone;
- 20 (3,5-Difluoro-4'-methanesulfonyl-biphenyl-4-yl)-(2-(S)-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone;
- (2,6-Difluoro-4-pyridin-4-yl-phenyl)-(2-(S)-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone;
- 25 [2,6-Difluoro-4-(2-methoxy-pyrimidin-5-yl)-phenyl]-(2-(S)-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone;
- N-[3'-Fluoro-4'-(2-(S)-pyrrolidin-1-ylmethyl-pyrrolidine-1-carbonyl)-biphenyl-4-yl]-methanesulfonamide;
- N-[3'-Fluoro-4'-(2-(S)-pyrrolidin-1-ylmethyl-pyrrolidine-1-carbonyl)-biphenyl-4-yl]-N-methyl-methanesulfonamide;
- 30 [2-(S)-(2-(R)-Methyl-pyrrolidin-1-ylmethyl)-pyrrolidin-1-yl]-(4'-trifluoromethyl-biphenyl-4-yl)-methanone;
- (3-Fluoro-3'-trifluoromethyl-biphenyl-4-yl)-(2-(S)-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone;


- (3-Fluoro-4'-trifluoromethyl-biphenyl-4-yl)-(2-(S)-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone;
- 3'-Fluoro-4'-(2-(S)-pyrrolidin-1-ylmethyl-pyrrolidine-1-carbonyl)-biphenyl-3-carbonitrile;
- 5 (3-Fluoro-3'-trifluoromethoxy-biphenyl-4-yl)-(2-(S)-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone;
- (3-Fluoro-4'-trifluoromethoxy-biphenyl-4-yl)-(2-(S)-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone;
- (3-Fluoro-2', 4'-dimethoxy-biphenyl-4-yl)-(2-(S)-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone;
- 10 (3-Fluoro-4'-methoxy-biphenyl-4-yl)-(2-(S)-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone;
- (3-Fluoro-3', 4'-dimethoxy-biphenyl-4-yl)-(2-(S)-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone;
- 15 (3,4'-Difluoro-biphenyl-4-yl)-(2-(S)-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone;
- (4-Benzo[1,3]dioxol-5-yl-2-fluoro-phenyl)-(2-(S)-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone;
- [4-(2,3-Dihydro-benzo[1,4]dioxin-6-yl)-2-fluoro-phenyl]-(2-(S)-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone;
- 20 (3-Fluoro-3'-pyrrolidin-1-yl-biphenyl-4-yl)-(2-(S)-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone;
- (3-Fluoro-3'-methanesulfonyl-biphenyl-4-yl)-(2-(S)-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone;
- 25 (4'-Ethanesulfonyl-3-fluoro-biphenyl-4-yl)-(2-(S)-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone;
- (3-Fluoro-4'-methanesulfinyl-biphenyl-4-yl)-(2-(S)-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone;
- (2-Fluoro-4-pyrimidin-5-yl-phenyl)-(2-(S)-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone;
- 30 [2-Fluoro-4-(2-methoxy-pyrimidin-5-yl)-phenyl]-(2-(S)-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone;
- [2-Fluoro-4-(6-methoxy-pyridin-3-yl)-phenyl]-(2-(S)-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone;

- [2-Fluoro-4-(1H-indol-5-yl)-phenyl]-(2-(S)-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone;
- (2-Fluoro-4-quinolin-3-yl-phenyl)-(2-(S)-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone;
- 5 (3-Fluoro-4'-methanesulfonyl-biphenyl-4-yl)-[2-(S)-(2-(R)-methyl-pyrrolidin-1-ylmethyl)-pyrrolidin-1-yl]-methanone;
- (4'-Ethanesulfonyl-3-fluoro-biphenyl-4-yl)-[2-(S)-(2-(R)-methyl-pyrrolidin-1-ylmethyl)-pyrrolidin-1-yl]-methanone;
- 10 [2-(2,5-*trans*-Dimethyl-pyrrolidin-1-ylmethyl)-pyrrolidin-1-yl]-(4'-trifluoromethyl-biphenyl-4-yl)-methanone;
- [2-(2,5-*cis*-Dimethyl-pyrrolidin-1-ylmethyl)-pyrrolidin-1-yl]-(4'-trifluoromethyl-biphenyl-4-yl)-methanone;
- (2-(R)-Pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-(4'-trifluoromethyl-biphenyl-4-yl)-methanone;
- 15 [2-(S)-(2-(R)-Ethyl-pyrrolidin-1-ylmethyl)-pyrrolidin-1-yl]-(4'-trifluoromethyl-biphenyl-4-yl)-methanone;
- [2-(S)-(2-(S)-Fluoromethyl-pyrrolidin-1-ylmethyl)-pyrrolidin-1-yl]-(4'-trifluoromethyl-biphenyl-4-yl)-methanone;
- (4'-methanesulfonyl-biphenyl-4-yl)-[2-(S)-(2-(R)-methyl-pyrrolidin-1-ylmethyl)-pyrrolidin-1-yl]-methanone;
- 20 (4'-Cyclopropanecarbonyl-3-fluoro-biphenyl-4-yl)-(2-(S)-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone;
- Cyclopropyl-{3'-fluoro-4'-[2-(S)-(2-(R)-methyl-pyrrolidin-1-ylmethyl)-pyrrolidine-1-carbonyl]-biphenyl-4-yl}-methanone;
- 25 (3,5-Difluoro-4'-methanesulfonyl-biphenyl-4-yl)-(2-(R)-methyl-1-(2-(S)-pyrrolidinylmethyl)pyrrolidin-1-yl)-methanone;
- (2-Fluoro-4-[2-methoxy-pyrimidin-5-yl]-phenyl)-(2-(R)-methyl-1-(2-(S)-pyrrolidinylmethyl)pyrrolidin-1-yl)-methanone L-tartrate;
- (2-Fluoro-4-[6-methoxy-pyridin-3-yl]-phenyl)-(2-(R)-methyl-1-(2-(S)-pyrrolidinylmethyl)pyrrolidin-1-yl)-methanone;
- 30 (2-Fluoro-4-pyridin-3-yl-phenyl)-(2-(R)-methyl-1-(2-(S)-pyrrolidinylmethyl)pyrrolidin-1-yl)-methanone;
- (3-Fluoro-4'-methylthio-biphenyl-4-yl)-(2-(R)-methyl-1-(2-(S)-pyrrolidinylmethyl)pyrrolidin-1-yl)-methanone;

- (3-Fluoro-4'-methanesulfinyl-biphenyl-4-yl)-(2-(R)-methyl-1-(2-(S)-pyrrolidinylmethyl)pyrrolidin-1-yl)-methanone;
- 3'-Fluoro-4-[(2-(R)-methyl-1-(2-(S)-pyrrolidinylmethyl)pyrrolidine-1-carbonyl]-biphenyl-4-sulfinic acid;
- 5 [4-(6-Ethanesulfonyl-pyridin-3-yl)-2-fluoro-phenyl]-[2-(S)-(2-(R)-methyl-pyrrolidin-1-ylmethyl)-pyrrolidin-1-yl]-methanone dihydrochloride salt;
- (2,6-Difluoro-4-pyridin-3-yl-phenyl)-((S)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone;
- (2,6-Difluoro-4-pyrimidin-5-yl-phenyl)-((S)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone;
- 10 (3,5-Difluoro-4'-methanesulfinyl-biphenyl-4-yl)-((S)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone;
- ([2,6-Difluoro-4-(5-methoxy-pyridin-3-yl)-phenyl]-((S)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone;
- 15 [2-(S)-(2-(R)-Methyl-pyrrolidin-1-ylmethyl)]-(4-pyrimidin-2-yl-phenyl)-methanone;
- [4-(6-Methoxy-pyridin-2-yl)-phenyl]-[2-(S)-(2-(R)-Methyl-pyrrolidin-1-ylmethyl)-pyrrolidin-1-yl]-methanone;
- [2-Fluoro-4-(6-fluoro-pyridin-3-yl)-phenyl]-[2-(S)-(2-(R)-Methyl-pyrrolidin-1-ylmethyl)-pyrrolidin-1-yl]-methanone;
- 20 [4-(6-Fluoro-pyridin-3-yl)-phenyl]-[2-(S)-(2-(R)-Methyl-pyrrolidin-1-ylmethyl)-pyrrolidin-1-yl]-methanone; and
- [4-(6-Methyl-pyridazin-3-yl)-phenyl]-[2-(S)-(2-(R)-Methyl-pyrrolidin-1-ylmethyl)-pyrrolidin-1-yl]-methanone,
- 25 or a pharmaceutically acceptable salt thereof.

14. (Currently amended) A pharmaceutical composition which comprises a ~~compound~~ of any of claims 1-13 and a pharmaceutically acceptable carrier and a compound structurally represented by Formula I,

34



(I)

or a pharmaceutically acceptable salt thereof wherein:


Q, T, X, and D independently represent carbon or nitrogen, provided that no more than two of Q, T, X, and D are nitrogen;

R1, R2, and R3 are independently at each occurrence

-H, -halogen, -(C<sub>1</sub>-C<sub>7</sub>) alkyl, -CN, -C(O)R<sub>7</sub>, -C(O)(C<sub>3</sub>-C<sub>5</sub>)cycloalkyl, -C(O)NR<sub>7</sub>R<sub>8</sub>, -OCF<sub>3</sub>, -OR<sub>7</sub>, -NO<sub>2</sub>, -NR<sub>7</sub>R<sub>8</sub>, -NR<sub>9</sub>SO<sub>2</sub>R<sub>7</sub>, -NR<sub>9</sub>C(O)R<sub>7</sub>, -NR<sub>9</sub>CO<sub>2</sub>R<sub>7</sub>, -NR<sub>9</sub>C(O)NR<sub>7</sub>R<sub>8</sub>, -SR<sub>7</sub>, -SO<sub>2</sub>R<sub>7</sub>, -SO<sub>2</sub>CF<sub>3</sub>, -SO<sub>2</sub>NR<sub>7</sub>R<sub>8</sub>, -S(O)R<sub>7</sub>, -O(CH<sub>2</sub>)<sub>m</sub>NR<sub>7</sub>R<sub>8</sub>, -heteroaryl-R<sub>9</sub>, -phenyl-R<sub>9</sub>,

provided however that wherein D is nitrogen, then R1 or R2 or R3 are not attached to D, and provided that wherein X is nitrogen, then R1 or R2 or R3 are not attached to X, and provided that wherein T is nitrogen, then R1 or R2 or R3 are not attached to T, and provided that wherein Q is nitrogen, then R1 or R2 or R3 are not attached to Q;

and further provided that when D and X are carbon, then R1 and R2 can



combine to form a 5 or 6 membered ring with D and X, wherein the ring so formed may optionally include one double bond in the case of a five membered ring or two double bonds in the case of a six membered ring, and wherein one to three ring atoms may optionally be heteroatoms independently selected from N, O, or S; wherein m is 1, 2, 3 or 4;

R4 and R5 are independently at each occurrence

-H, -OH, -halogen, -CF<sub>2</sub>H, -CF<sub>3</sub>, -(C<sub>1</sub>-C<sub>3</sub>)alkyl, -O-(C<sub>1</sub>-C<sub>3</sub>) alkyl,

R6 is independently at each occurrence



-H, -halogen, -CF<sub>3</sub>, -(C<sub>1</sub>-C<sub>3</sub>) alkyl, -NH<sub>2</sub>, -NR<sub>7</sub>R<sub>8</sub>, -OH, -OR<sub>7</sub>;

R<sub>7</sub> and R<sub>8</sub> are independently at each occurrence

-H, -(C<sub>1</sub>-C<sub>6</sub>) alkyl,

wherein R<sub>7</sub> and R<sub>8</sub> can combine with the atom to which they are attached

5 to form a 3 to 7 membered ring; and

R<sub>9</sub> is independently at each occurrence -H, or -(C<sub>1</sub>-C<sub>3</sub>) alkyl.

15. (Canceled)

16. (Canceled)

17. (Canceled)

10 18. (Currently amended) A method for treatment or prevention of obesity which comprises administering to a mammal in need of such treatment or prevention an effective amount of a compound of ~~any of Claims 1-13.~~

19. (Canceled)

20. (Canceled)

15 21. (Canceled)

22. (Canceled)